

— GO ECO— STOVE RANGE







Introducing the

GO ECO STOVE RANGE

Entry level Ecodesign Ready and clearSkies certified stoves for the home, with the ultimate in warmth, character and ambience – Go Eco stoves really hit the mark.

The Go Eco range from Charlton & Jenrick are highly developed technical stoves that share much of their DNA with more expensive Fireline stable mates. The Go Eco range keeps all of the efficiency and ease of use with a simpler approach to design to offer an extremely cost effective EcoDesign 2022 ready stove. Those concerned with both the environment and economical pricing need look no further!

clearSkies is the new independent emissions and energy performance certification scheme for stoves and provides an easily recognised and independent verification of appliance performance, helping you make an informed purchase decision. All Go Eco stoves achieve the highest possible Level 5 clearSkies mark meaning that they exceed Ecodesign 2022 emissions and efficiency rules by approximately 30% or more. See https://www.clearskiesmark.org/ for more details.

- SIA Ecodesign Ready 2022 certified ultra clean burning and low emissions
- Full multifuel capability as standard
- 80% plus efficiency
- Extra powerful air wash system
- Patented tertiary air system
- Laser profiled and fully seam welded steel construction
- DEFRA Exempt for burning wood in smokeless zones
- 280mm (11") slimline body depth as standard
- Choice of Standard model with steel door or Plus model with solid cast iron door
- Static Multi fuel bar Grate
- Corrosion resistant steel ash pan
- Firebrick refractory liners for longevity
- Superimposed hearth compatible
- Minimum 300mm rear clearances from combustibles*
- 50mm minimum clearances from non-combustibles
- Top & Rear flue connection
- * Using twin wall flue from the top of the stove plus heatshield provided










Go Eco High Line 5kW Stove



Go Eco High Line 5kW Wide Stove



	Model	
	Go Eco 5 & 5 Highline	Go Eco 5 Wide & 5 Wide Highline
Efficiency	82.5%	79.8%
Approx output range (kW)	3.8 - 6.7	4.1 - 7.0
Flue Connection	127mm (5")	127mm (5")
Max log length	250mm (9.9")	350mm (13.8")
EEI Category	A+	A+

—GO ECO— STOVE RANGE



Go Eco 5kW Plus Wide Stove (Cast Door)

Go Eco High Line 5kW Plus Stove (Cast Door)

Charlton & Jenrick®

Best of British fires, fireplaces & stoves

Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire TF3 3AR Tel: 01952 200444 Fax: 01952 200480 e-mail: sales@charltonandjenrick.co.uk

www.charltonandjenrick.co.uk















